

## REFERENCES CITED

- Adatte, T., Keller, G., and Stinnesbeck, W., 2002, Late Cretaceous to early Paleocene climate and sea-level fluctuations: The Tunisian record: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 178, p. 165-196.
- Axelrod, D. I., 1979, Age and origin of the Sonoran Desert vegetation: *Occasional Papers of the California Academy of Sciences*, v. 132, p. 74.
- Barrie, D. S., Tatnal, T. S., and Gath, E. M., 1992, Neotectonic uplift and ages of Pleistocene marine terraces, San Joaquin Hills, Orange County, California, in Heath, E. and Lewis, L., Eds., *The regressive Pleistocene shoreline in Southern California*: Santa Ana, South Coast Geological Society, p. 115-121.
- Bates, R. L. and Jackson, Julia A., 1984, *Dictionary of geological terms*, 3rd (Anchor Books) edition: Garden City, N.Y., Anchor Press/Doubleday, 571 p.
- Birkeland, P. W., 1984, *Soils and geomorphology*, 3rd edition: New York, Oxford University Press, 430 p.
- Bralower, T. J., Thomas, D. J., Zachos, J. C., Hirschmann, M. M., Rohl, U., Sigurdsson, H., Thomas, E., and Whitney, D. L., 1997, High-resolution records of the late

Paleocene thermal maximum and circum-Caribbean volcanism: is there a causal link?: *Geology*, v. 25, p. 963-966.

Buol, S., Hole, F. D., McCracken, R. J., and Southard, R. J., 1997, Soil genesis and classification, 4th edition: Ames, Iowa State University Press, 527 p.

Cleary, W. J. and Conolly, J. R., 1972, Embayed quartz grains in soils and their significance: *Journal of Sedimentary Petrology*, v. 42, p. 899-904.

Colburn, I. P. and Novak, G. A., 1989, Paleocene conglomerates of the Santa Monica Mountains, California: petrology, stratigraphy, and environments of deposition, in Colburn, I. P., Abbott, P. L., and Minch, J., Eds., *Conglomerates in basin analysis: A symposium dedicated to A. O. Woodford*: Los Angeles, Pacific Section Society of Economic Paleontologists and Mineralogists, p. 227-253.

Crowell, J. C., 1974, Origin of late Cenozoic basins in Southern California, in Dickson, W. R., Eds., *Tectonics and sedimentation : based on a symposium sponsored by the Society of Economic Paleontologists and Mineralogists*: Tulsa, Oklahoma, Society of Economic Paleontologists and Mineralogists, p. 190-204.

- Dickerson, R. E., 1914, The Martinez and Tejon Eocene and associated formations of the Santa Ana Mountains: Bulletin of the Geological Society of America, v. 8, p. 257-274.
- Dingle, R. V. and Lavelle, M., 2000, Antarctic peninsula Late Cretaceous-Early Cenozoic pelaeoenvironments and Gondwana palaeogeographies: Journal of African Earth Sciences, v. 31, p. 91-105.
- Duchaufour, P., 1982, Pedology: pedogenesis and classification (translated by T. R. Paton), London, George Allen & Unwin, 448 p.
- Fookes, P. G., 1997, Tropical residual soils : A Geological Society Engineering Group Working Party revised report, London, Geological Society, 184 p.
- Fritsche, A. E., Weigand, P. W., Colburn, I. P., and Harma, R. L., 2001, Transverse/Peninsular Ranges Connections - Evidence for the incredible Miocene rotation, in Dunne, G. and Cooper, J., Eds., Geologic excursions in southwestern California : fieldtrip guidebook and volume prepared for the joint meeting of the Cordilleran Section--GSA and Pacific Section--AAPG, April 9-11, 2001, Universal City, California, fieldtrips 8-11: California, Pacific Section SEPM (Society for Sedimentary Geology), p. 101-146.

- Gaponoff, S. L., 1981, Palynology of the Silverado Formation (Paleocene), Riverside and Orange Counties, California [M.S. Thesis]: Long Beach, California State University, 216 p.
- Gaponoff, S. L., 1984, Palynology of the Silverado Formation (Late Paleocene), Riverside and Orange Counties, California: *Palynology*, v. 8, p. 71-106.
- Garrels, R. M. and Christ, C. L., 1965, Solutions, minerals, and equilibria, New York, Harper & Row, 450 p.
- Gibson, T. G., Bybell, L. M., and Mason, D. B., 2000, Stratigraphic and climatic implications of clay mineral changes around the Paleocene/Eocene boundary of the northeastern US margin: *Sedimentary Geology*, v. 134, p. 65-92.
- Grant, L. B., Mueller, K., Gath, E. M., Cheng, H., Edwards, R. L., Munro, R., and Kennedy, G. L., 1999, Late Quaternary uplift and earthquake potential of the San Joaquin Hills, southern Los Angeles basin, California: *Geology*, v. 27, p. 1031-1034.
- Hovan, S. A. and Rea, D. K., 1992, Paleocene/Eocene boundary changes in atmospheric and oceanic circulation: a Southern Hemisphere record: *Geology*, v. 20, p. 15-18.

- James, W. C., Mack, G. H., and Suttner, L. J., 1981, Relative alteration of microcline and sodic plagioclase in semi- arid and humid climates: *Journal of Sedimentary Petrology*, v. 51, p. 151-164.
- Jenny, H., 1994, *Factors of soil formation; a system of quantitative pedology*, New York, Dover, 281 p.
- Kelly, D. C., Thomas, E., Bralower, T. J., Zachos, J. C., and Premoli Silva, I., 1996, Rapid diversification of planktonic foraminifera in the tropical Pacific (ODP Site 865) during the late Paleocene thermal maximum: *Geology*, v. 24, p. 423-426.
- Klein, C. and Hurlbut, C., 1985, *Manual of mineralogy : (after James D. Dana)*, 20th edition: New York, Wiley, 596 p.
- Kraus, M. J., 1999, Paleosols in clastic sedimentary rocks: Their geologic applications: *Earth Science Reviews*, v. 47, p. 41-70.
- Lajoie, K. R., Ponti, D. J., Powell II, C. L., Mathieson, S. A., and Sarna-Wojcicki, A. M., 1991, Emergent marine strandlines and associated sediments, coastal California; A record of Quaternary sea-level fluctuations, vertical tectonic movements, climatic changes, and coastal processes, in Morrison, R. B., Eds., *Quaternary nonglacial*

geology : conterminous U.S.: Boulder, Colorado, Geological Society of America,  
p. 190-214.

Lettis, W. R., Wells, D. L., and Baldwin, J. N., 1997, Empirical observations regarding  
reverse earthquakes, blind thrust faults, and Quaternary deformation: are blind  
thrust faults truly blind?: Bulletin - Seismological Society of America, v. 87, p.  
1171-1198.

Leyva, S. M. and Ramirez, P. C., 1999, Paleosol occurrences in the Paleogene Silverado  
Formation, Northern Peninsular Ranges, California: GSA Abstracts with Program,  
p A-74.

Leyva, S. M., Ramirez, P. C., and Lima, R., 1999, Paleosol Development and Quartz  
Dissolution in the Paleogene Silverado Formation, San Joaquin Hills, California:  
Southern California Academy of Sciences Program and Abstracts, Annual  
Meeting, April 30-May 1 1999, California State University Dominguez Hills, p 56.

Leyva, S. M. and Ramirez, P. C., 2000, Development and Distribution of Lateritic  
Paleosols in the Paleogene Silverado Formation, San Joaquin Hills, California:  
SPE/AAPG Western Regional Meeting, 19-23 June 2000, Long Beach, California,  
p 60.

- Leyva, S. M. and Ramirez, P. C., 2000, From Arkoses to Laterites: Compositional Analysis of Paleosols within the Paleogene Silverado Formation, Northern Peninsular Ranges, California: GSA Abstracts with Program, p A95.
- Leyva, S. M. and Ramirez, P. C., 2001, Evidence for a Possible Tropical To Subtropical Climate in Southern California During the Paleocene: Laterite Paleosols of the Silverado Formation, San Joaquin Hills, CA: 2001 GSA Abstracts with Program, p A-36.
- Leyva, S. M. and Ramirez, P. C., 2001, Tropical Residual Paleosols of the Silverado Formation, San Joaquin Hills, CA: 2001 SACNAS National Conference Program, p. 207.
- Lima, R., Ramirez, P. C., and Leyva, S. M., 1999, Origin of a Quartz-rich Sandstone in the Paleogene Silverado Formation, Northern Peninsular Ranges, California: Southern California Academy of Sciences Program and Abstracts, Annual Meeting, April 30-May 1 1999, California State University Dominguez Hills, p 56.
- Mack, G. H., James, W. C., and Monger, H. C., 1993, Classification of paleosols: Geological Society of America Bulletin, v. 105, p. 129-136.

Mack, G. H. and James, W. C., 1994, Paleoclimate and the global distribution of paleosols: *Journal of Geology*, v. 102, p. 360-366.

McCulloh, T. H., Beyer, L. A., and Enrico, R. J., 2000, Paleogene strata of the Eastern Los Angeles basin, California: Paleogeography and constraints on neogene structural evolution: *Bulletin of the Geological Society of America*, v. 112, p. 1155-1178.

Miller, R. V. and Tan, S. S., 1976, Geology and Engineering Geologic Aspects of the South Half Tustin Quadrangle, Orange County, California: California Division of Mines and Geology Special Report 126, 28 p.

Morton, D. M., Hauser, R. M., and Ruppert, K. R., 1999, Preliminary Digital Geologic Map of the Santa Ana 30' x 60' Quadrangle, Southern California, version 1.0: U. S. Geological Survey Open-file Report 99-172, accessed on 12-8-2002 from: <http://wrgis.wr.usgs.gov/open-file/of99-172/>.

Pak, D. K. and Miller, K. G., 1992, Paleocene to Eocene benthic foraminiferal isotopes and assemblages: implications for deepwater circulation: *Paleoceanography*, v. 7, p. 405-422.

- Ramirez, P. C. and Maine, A., 1995, Preliminary petrographic analysis of non-marine sandstones of the Silverado Formation, San Joaquin Hills, California, in Colburn, I. P. and Ramirez, P. C., Eds., The Paleocene Stratigraphic Successions of the Northern Peninsular Ranges, Orange and Riverside Counties, California: Los Angeles, The Pacific Section of the Society of Economic Paleontologists and Mineralogists, p. 55-67.
- Ramirez, P. C., Colburn, I. P., and Leyva, S. M., 2002, Probable Lateritic Paleocene Paleosols of Southern California: 2002 GSA Abstracts with Program.
- Retallack, G. J., 1988, Field Recognition of Paleosols, in Reinhardt, J. and Sigleo, W. R., Eds., Paleosols and weathering through geologic time : principles and applications: Boulder, Colorado, Geological Society of America, p. 1-20.
- Retallack, G. J., 1994, A pedotype approach to latest Cretaceous and earliest Tertiary paleosols in eastern Montana: Geological Society of America Bulletin, v. 106, p. 1377-1397.
- Retallack, G. J., 1997, A colour guide to paleosols, Chichester [England] ; New York, Wiley, 175 p.

Retallack, G. J., 2001, *Soils of the Past: An Introduction of Paleopedology*, 2nd edition:

Oxford ; Malden, MA, Blackwell Science, 404 p.

Rivero, C., Shaw, J. H., and Mueller, K., 2000, Oceanside and thirtymile bank blind

thrust: Implications for earthquake hazards in coastal Southern California:

*Geology*, v. 28, p. 891-894.

Robert, C. and Kennett, J. P., 1994, Antarctic subtropical humid episode at the

Paleocene-Eocene boundary: clay-mineral evidence: *Geology*, v. 22, p. 211-214.

Schoellhamer, J. E., Vedder, J. G., Yerkes, R. F., and Kinney, D. M., 1981, *Geology of*

the northern Santa Ana Mountains, California, in *Geology of the eastern Los*

Angeles basin, southern California: *Geologic Survey Professional Paper 420-D:*

Washington, U.S. G.P.O., 109 p.

Shaw, J. H. and Shearer, P. M., 1999, An elusive blind-thrust fault beneath metropolitan

Los Angeles: *Science*, v. 283, p. 1516-1518.

Soil Survey Division Staff, 1993, *Soil survey manual*, Washington, D.C., U.S. Dept. of

Agriculture, 473 p.

Soil Survey Staff, 1998, *Keys to soil taxonomy*, 8th edition: Washington, D. C., U.S.

Dept. of Agriculture, Natural Resources Conservation Service, 326 p.

Southern California Earthquake Data Center, 2002, Southern California Alphabetical Fault

Index: Southern California Earthquake Data Center, accessed on 5-3-2002 from  
<http://www.scecdc.scec.org/Alphadex.html>

Stein, R. S. and Yeats, R. S., 1989, Hidden Earthquakes: Scientific American, v. 260, p.  
48-57.

Sundberg, F. and Warter, J. K., 1984, Paleontological Grading Monitoring Report on  
Wastewater Treatment Plant and Associated Dams, Robinson Ranch, Orange  
County, California: Huntington Beach, California, Unpublished consultant's report:  
Scientific Resource Surveys, Inc., 69 p.

Tan, S. S. and Edgington, W. J., 1976, Geology and engineering geologic aspects of the  
Laguna Beach quadrangle, Orange County, California: California Division of  
Mines and Geology Special Report 127, 32 p.

Vedder, J. G., Yerkes, R. F., and Schoellhamer, J. E., 1957, Geologic Map of the San  
Joaquin Hills - San Juan Capistrano Area, Orange County, California:  
Washington, U.S. Geological Survey, Scale: 1:24,000.

Vedder, J. G., 1970, Summary of the geology of the San Joaquin Hills, in Vernon, J. W.  
and Warren, A. D., Eds., Geologic guidebook, Southeastern rim of the Los

Angeles Basin, Orange County, California : Newport Lagoon, San Joaquin Hills,  
Santa Ana Mountains : Pacific Sections AAPG, SEPM, SEG field trip, March 21,  
1970: Pacific Sections AAPG, SEPM, SEG, p. 15-19.

Vedder, J. G., 1975, Revised geologic map, structure sections and well table, San Joaquin  
Hills-San Juan Capistrano area, California: Washington, D. C., United States  
Geological Survey, Scale: 1:24,000.

Vedder, J. G., 1995, Paleocene and Eocene Strata in the San Joaquin Hills, Orange  
County, California, Los Angeles, California, Pacific Section Society for  
Sedimentary Geology (SEPM), 27 p.

Woodring, W. P. and Popenoe, W. P., 1945, Paleocene and Eocene stratigraphy of the  
northwestern Santa Ana Mountains, Orange County, California: Washington, D.  
C., U.S. Geological Survey, Scale: ca. 1:104,000 and ca. 1:410,000 plus one  
profile.

Yerkes, R. F., McCulloh, T. H., Schoellhamer, J. E., and Vedder, J. G., 1965, Geology of  
the Los Angeles Basin, California -an introduction, in Geology of the eastern Los  
Angeles basin, southern California: Geological Survey professional paper 420-A:  
Washington, D. C., U.S. G.P.O., p. 57 p.

Zachos, J. C., Lohmann, K. C., Walker, J. C. G., and Wise, S. W., 1993, Abrupt climate change and transient climates during the Paleogene: a marine perspective: *Journal of Geology*, v. 101, 1 p. 191-213.